

# [Pintura Magnetic Wireless Charger User Manual](#)

## [Manualsum](#), simplified manuals

### Table of Contents

- [Pintura Magnetic Wireless Charger User Manual](#)
  - [Product Overview](#)
  - [Product Features](#)
  - [Wireless Charging Board Specifications](#)
  - [Accessories](#)
  - [Product Appearance](#)

# **Pintura Magnetic Wireless Charger User Manual**

Pintura Magnetic Wireless Charger User Manual

Jiangsu Austin Optronics Technology Pintura Magnetic Wireless Charger User Manual

([2A938-PNGB11LWW2](#))

The logo for Pintura features the word "Pin-tura" in a bold, blue, sans-serif font. The dots on the "i" and "t" are orange. A yellow trapezoidal shape is positioned behind the letters "n" and "t". A registered trademark symbol (®) is located to the right of the word "tura".

**PNGB11LWW2**

[Manualsum](#)

## Product Overview

Pintura, an innovative display system with perfect integration of design and function, not only redefines the concept of digital photo frames, but also brings an unprecedented application experience in the field of photography and photography. Its stylish and sophisticated look is integrated into every corner of life, whether it is family photos, travel memories, or professional works of art, Pintura can be perfectly displayed, making memories accessible.



## Product Features

### **Innovative Design**

The magnetic wireless power supply provides stable and reliable power support for the mscreen, and enables the screen to rotate flexibly, increasing the diversity and convenience of application scenarios.

[Manualsum](#)

<b>Exquisite Design</b>	With magnetic fixation and positioning functions, flexible wireless power supply, not only can do pendulum, by supporting a maximum of 16 cascades, to meet the needs of large event scenarios.
<b>Transverse Compitable</b>	The wireless charging board can power not only the screen, but also the phone.

## Wireless Charging Board Specifications

<b>Size</b>	Φ114.79 * 15.46 mm
<b>Current and Voltage</b>	12V ~ 21V / 1.5A max
<b>Power Consumption</b>	≤ 15 W Type-C,
<b>Power Input</b>	Supports QC, PD protocol
<b>Power Output</b>	Type-C
<b>Cascade Connection</b>	Supports a maximum of 16 wireless charging boards
<b>Wireless Power Supply</b>	WPC Qi Version 1.2.4
<b>Power Efficiency</b>	> 70%
<b>Weight</b>	0.12 kg
<b>Magnetic Attraction Force</b>	About 2.5 kg
<b>Size</b>	≤ 5 mm

## Accessories

Wireless Charging Board	*1
Adapter	*1
Warranty Card	*1

# Product Appearance

