

# [XbotGo Remote Controller User Manual](#)

## [Manualsum](#), simplified manuals

### Table of Contents


- [XbotGo Remote Controller User Manual](#)
  - [We sincerely thank you for choosing XbotGo!](#)
    - [Warning:](#)
    - [Environmental Protection Instructions:](#)
  - [Remote Controller Specifications](#)
  - [Quick Start Guide](#)
  - [XbotGo RC1 Remote Controller](#)
  - [Buttons and Functions](#)
    - [Camera Function](#)
    - [Photo Function](#)
    - [Steering Function](#)
    - [Mark Function \(Available only during camera function mode\)](#)
  - [Battery](#)
  - [Notes on Remote Controller](#)

# **XbotGo Remote Controller User Manual**

XbotGo Remote Controller User Manual

Suzhou Deep Foresight Technology XbotGo Remote Controller User Manual

FCC id: [2BG5Z-RC1](#)



## **We sincerely thank you for choosing XbotGo!**

To better use this product, please carefully read the instructions before use and keep this manual for future reference. If you have any questions, feel free to contact us. Our professionals will be happy to answer your questions and help. We wish you a pleasant experience.


### **Warning:**

Please read all safety warnings and instructions carefully. Failure to comply may result in fire, electric shock, or other serious injuries. Please keep all warnings and instructions for future reference.

### **Environmental Protection Instructions:**

- Comply with the waste disposal laws and regulations of relevant countries. Electronic devices should not be disposed of as household waste. Devices, accessories, and packaging should be recyclable.
- Do not litter electronic wastes at will.

# Remote Controller Specifications




<b>Model</b>	XbotGo RC1
<b>Battery Model</b>	CR2032
<b>Signal Coverage Range</b>	10m
<b>Temperature</b>	-5°C~ 60°C (23°F ~ 140°F)


## Quick Start Guide

- **A.** Open the battery compartment cover, then remove the insulating plastic sheet from the bottom of the battery and close the battery compartment cover.

- **B.** Press and hold the power button for 3 seconds to turn on/off the remote controller.
- **C.** After turning on, press the function selection button to switch functions.
- **D.** Bluetooth pairing is required before the first use.
- Press and hold the remote controller's power button. After the remote controller is powered on, the phone connection indicator flashes red.
- Open XbotGo APP on your phone and select XbotR-XXXX in the XbotGo APP for pairing. After the connection is established, the phone connection indicator on the remote controller will turn into a solid blue.
- **E.** Exceed the signal range (10 meters):



The red menu indicator light and the circular ring light on the remote control are flashing, indicating that the remote controller has been disconnected from the APP. If it returns to the reception range in less than 1 minute, the remote controller's blue light will turn on, and



the connection will be automatically restored.


- **F. Sleep mode and Shutdown:**

The 3S remote controller enters the dormant state without any operation. In the dormant state, press any button on the remote control to enter the connected state. After sleeping for more than five minutes, the remote control will automatically shut down, press the power button, and then close the device again after turning on to reconnect.

**Note:**

The disconnection of the remote controller during use will not affect the APP running on the phone. If the APP cannot find the remote controller during use, you can reset the remote controller by pressing the power button for 3 seconds, then perform the pairing again.

## **XbotGo RC1 Remote Controller**



## Buttons and Functions

Before you use it, get familiar with the remote controller.

### Camera Function

Press the Function Selection button to switch to camera mode; press the confirm button in camera mode to control the shooting states.

- **On the remote controller:**

**A.** A “beep” sound will appear, indicating entry into camera mode.

**B.** Two consecutive “beep-beep” sounds indicate that the camera is paused or not activated at this time.


- **On the APP side:**

A blue mask will prompt on screen for 3 seconds and will automatically disappear after 3 seconds. At this point, it is in camera mode, and you can check the status with corresponding operational commands.




## Photo Function

- Press the Function Selection button to switch to the photo mode;
- In photo mode, press the confirm button to take photos.



## Steering Function

- Press the Function Selection button to switch to the steering mode;
- Press the up, down, left, and right directional buttons to rotate the gimbal in the corresponding direction.




## **Mark Function (Available only during camera function mode)**

Manually mark the highlight moments during the game. It will for generating produce a highlight video of the game automatically online and upload to the cloud.

**Pressing the confirm button on the remote controller, XbotGo APP will record video segments before and after the marked moment. When the marking button is pressed, the blue circular ring light will flash, indicating successful marking.**

Highlights can be viewed in XbotGo App/Cloud Management/Cloud Drive.





**Note**

If the remote controller's red breathing light flashes, the buzzer alerts, or if the APP displays errors, command execution failures, please follow the prompts on the APP side for operation.



## Battery

The remote controller is equipped with a CR2032 button battery.


### Notes

For optimal product performance:

- Please do not use different types of batteries.
- If you do not intend to use the device for more than two months, please do not leave the battery in the remote controller.

### Battery Disposal:

- Do not dispose of batteries as unsorted municipal waste. Please refer to local regulations for proper battery disposal.



## Notes on Remote Controller

- The remote controller must be used within a range of 10 meters from the device.
- When the remote control signal is received, the App will provide pairing prompts.